

## CRIMPFIX R VARIO

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

[www.weidmueller.com](http://www.weidmueller.com)



- For automatic stripping and crimping
- Time-saving and efficient processing
- Easily adjustable to the respective cross-section range
- Stripping and crimping in one work step
- The processing of sleeves or contacts from other manufacturers can cause machine failures and defects!

### General ordering data

|            |                                |
|------------|--------------------------------|
| Version    | Automatic stripper and crimper |
| Order No.  | <a href="#">2580000000</a>     |
| Type       | CRIMPFIX R VARIO               |
| GTIN (EAN) | 4050118605846                  |
| Qty.       | 1 items                        |

**CRIMPFIX R VARIO**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany

www.weidmueller.com

**Technical data**

**Approvals**

Approvals



ROHS Conform

**Dimensions and weights**

|            |         |                 |              |
|------------|---------|-----------------|--------------|
| Depth      | 485 mm  | Depth (inches)  | 19.0944 inch |
| Height     | 565 mm  | Height (inches) | 22.2441 inch |
| Width      | 335 mm  | Width (inches)  | 13.189 inch  |
| Net weight | 25265 g |                 |              |

**Environmental Product Compliance**

|                                      |                                      |
|--------------------------------------|--------------------------------------|
| RoHS Compliance Status               | Compliant with exemption             |
| RoHS Exemption (if applicable/known) | 6c, 7a, 7cl                          |
| REACH SVHC                           | Lead 7439-92-1                       |
| SCIP                                 | d2df479e-2b79-4e98-adc7-b03577df98ae |

**PW65 maintenance - automatic stripping/crimping**

|                                       |                                        |                                       |                                |
|---------------------------------------|----------------------------------------|---------------------------------------|--------------------------------|
| Stripping range                       | 0.5 - 2.5 mm <sup>2</sup> (~AWG 20-14) | Drive                                 | Electropneumatic               |
| Pulse time                            | approx. 2 s                            | Crimping                              | Trapezoidal                    |
| Wire end ferrules cross-section, max. | 2.5 mm <sup>2</sup>                    | Wire end ferrules cross-section, min. | 0.5 mm <sup>2</sup>            |
| Crimping length                       | 8/10 mm                                | Consumables                           | Linked wire-end ferrules       |
| Length of wire-end ferrule            | 14/16 mm                               | Compressed-air connection             | 5 - 5.5 bar                    |
| Insertion length, min.                | 27 mm                                  | Electrical connection                 | 100 - 240 V / 50/60 Hz / 16 VA |

**Classifications**

|             |             |             |             |
|-------------|-------------|-------------|-------------|
| ETIM 8.0    | EC002778    | ETIM 9.0    | EC002778    |
| ETIM 10.0   | EC002778    | ECLASS 14.0 | 17-13-01-01 |
| ECLASS 15.0 | 17-13-01-01 |             |             |

## CRIMPFIX R VARIO

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany

www.weidmueller.com

## Accessories

### Accessories / replacement parts



- For automatic stripping and crimping
- Time-saving and efficient processing
- Easily adjustable to the respective cross-section range
- Stripping and crimping in one work step
- The processing of sleeves or contacts from other manufacturers can cause machine failures and defects!

### General ordering data

|            |                            |                                      |  |
|------------|----------------------------|--------------------------------------|--|
| Type       | AIMESA CF U/L/LS SK TIN    | Version                              |  |
| Order No.  | <a href="#">1283530000</a> | Automatic machines, Replacement part |  |
| GTIN (EAN) | 4050118073676              |                                      |  |
| Qty.       | 1 ST                       |                                      |  |

### Automatic machines



- For automatic stripping and crimping
- Time-saving and efficient processing
- Easily adjustable to the respective cross-section range
- Stripping and crimping in one work step
- The processing of sleeves or contacts from other manufacturers can cause machine failures and defects!

### General ordering data

|            |                            |                                                    |  |
|------------|----------------------------|----------------------------------------------------|--|
| Type       | CRIMPFIX R VARIO PZ3       | Version                                            |  |
| Order No.  | <a href="#">2912420000</a> | Automatic machines, Automatic stripper and crimper |  |
| GTIN (EAN) | 4099986535992              |                                                    |  |
| Qty.       | 1 ST                       |                                                    |  |

### Accessories / replacement parts



- For automatic stripping and crimping
- Time-saving and efficient processing
- Easily adjustable to the respective cross-section range
- Stripping and crimping in one work step
- The processing of sleeves or contacts from other manufacturers can cause machine failures and defects!

### General ordering data

|            |                            |                                      |  |
|------------|----------------------------|--------------------------------------|--|
| Type       | FESA CF L/LS V2            | Version                              |  |
| Order No.  | <a href="#">1454790000</a> | Automatic machines, Replacement part |  |
| GTIN (EAN) | 4050118260779              |                                      |  |
| Qty.       | 1 ST                       |                                      |  |