



Contact insert M23 Signal - 12-pole

Item number 7003912111



Technical data

| | |
|--|----------------------------|
| Characteristic of connection | Crimp |
| Number of poles | 12 |
| Pole picture | 11 + PE (Pos.9) |
| Coding | Pos. 9 PE |
| direction of rotation | Pinout clockwise |
| Insert | Pin |
| Color contact insert | white |
| Material insulating body | PA 6 , PBT |
| Number of contacts signal | 12 |
| Number of contacts PE | 1 |
| Contact-Ø signal | 1 mm |
| Terminal cross section signal | 0,08 - 1,5 mm ² |
| Nominal current signal | 8 A |
| Nominal voltage at degree of pollution 3 signal | 200 V [~] |
| Test voltage signal | 1500 V [~] |

Contact insert M23 Signal - 12-pole

Item number 7003912111

| | |
|---------------------------------------|---------------------|
| Insulation resistance signal | > 10 ⁸ Ω |
| max. contact resistance signal | 3 mOhm |
| Temperature range | -40°C to +125°C |
| Degree of Protection | 3 |
| Flammability | V-0 (UL 94) |

Contact insert M23 Signal - 12-pole

Item number 7003912111

Commercial data

| | |
|------------------------------|---------------|
| Packaging Unit | 25 |
| EAN code | 4033878501375 |
| Weight | 0.005 kg |
| ETIM 7 | EC003557 |
| ETIM 8 | EC003557 |
| ETIM 9 | EC003557 |
| eCl@ss 10.1 | 27440223 |
| Customs tariff number | 85469010 |

Note:

