

**CRIMP-SET KONTAKTE**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

www.weidmueller.com



Crimp sets

**General ordering data**

Version	Assortment box, Colour code: DIN
Order No.	<a href="#">9202640000</a>
Type	CRIMP-SET KONTAKTE
GTIN (EAN)	4032248503322
Qty.	1 items
Packaging	Plastic box

**CRIMP-SET KONTAKTE**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany

www.weidmueller.com

**Technical data**

**Dimensions and weights**

Depth	330 mm	Depth (inches)	12.9921 inch
Height	57 mm	Height (inches)	2.2441 inch
Width	413 mm	Width (inches)	16.2598 inch
Net weight	3050.96 g		

**Environmental Product Compliance**

RoHS Compliance Status	Compliant without exemption
REACH SVHC	No SVHC above 0.1 wt%
SCIP	1eacbb3e-7931-4ebb-9179-f29fd9b50028

**Technical data**

Description of article	Crimp set contacts with insulated connectors and wire-end ferrules with plastic collars
------------------------	---

**Assortments**

Packaging	Plastic box	Colour code	DIN
Number of AEH	2000 pcs.		

**Classifications**

ETIM 8.0	EC000524	ETIM 9.0	EC000524
ETIM 10.0	EC000524	ECLASS 14.0	27-40-02-18
ECLASS 15.0	27-40-02-18		

## CRIMP-SET KONTAKTE

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

## packed loose in polythene bag



- supplied loose in polybag
- Weidmüller colour code
- DIN colour code

## General ordering data

Type	H0,5/14D W	Version
Order No.	<a href="#">9019010000</a>	Wire-end ferrule, Standard, 10 mm, 8 mm, white
GTIN (EAN)	4008190120931	
Qty.	500 ST	
Type	H0,75/14D GR	Version
Order No.	<a href="#">9019040000</a>	Wire-end ferrule, Standard, 10 mm, 8 mm, grey
GTIN (EAN)	4008190099077	
Qty.	500 ST	
Type	H1,0/14D R	Version
Order No.	<a href="#">9019080000</a>	Wire-end ferrule, Standard, 10 mm, 8 mm, red
GTIN (EAN)	4008190090623	
Qty.	500 ST	
Type	H1,5/14D SW	Version
Order No.	<a href="#">9019120000</a>	Wire-end ferrule, Standard, 10 mm, 8 mm, black
GTIN (EAN)	4008190153793	
Qty.	500 ST	
Type	H2,5/15D BL	Version
Order No.	<a href="#">9019160000</a>	Wire-end ferrule, Standard, 10 mm, 8 mm, blue
GTIN (EAN)	4008190028732	
Qty.	500 ST	
Type	H4,0/18D GR	Version
Order No.	<a href="#">9019190000</a>	Wire-end ferrule, Standard, 12 mm, 10 mm, grey
GTIN (EAN)	4008190141349	
Qty.	500 ST	

Conductor nom. cross-section 6.0mm<sup>2</sup>6 mm<sup>2</sup>

- supplied loose in poly-bag
- Weidmüller colour code
- DIN colour code
- other colour code

## CRIMP-SET KONTAKTE

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany


www.weidmueller.com

## Accessories

### General ordering data

Type	H6.0/20D GE	Version	
Order No.	<a href="#">9019220000</a>	Version	Wire-end ferrule, Standard, 14 mm, 12 mm, yellow
GTIN (EAN)	4008190151607		
Qty.	100 ST		

### Ring cable lugs



Insulated ring-cable connector made from PVC

- Commercially available designs
- Not soldered
- With conical entry funnel

### General ordering data

Type	LIR 6M6 V	Version	
Order No.	<a href="#">9200250000</a>	Version	cable lug, terminal end, Insulated cable connector, 6 mm <sup>2</sup> , 4 mm <sup>2</sup> - 6
GTIN (EAN)	4032248410071		mm <sup>2</sup>
Qty.	100 ST		

### Inserts



- Body of case made from unbreakable polypropylene
- Portable and uncluttered storage in minimum space
- With two sturdy sliding catches
- Assortment cases and boxes can be placed upright and can be stacked safely without any sliding
- can be subdivided with inserts

### General ordering data

Type	EINSATZ A8-1 CL55	Version	
Order No.	<a href="#">9028460000</a>	Version	Assortment of inserts
GTIN (EAN)	4032248310029		
Qty.	100 ST		
Type	EINSATZ A7-1 CL55	Version	
Order No.	<a href="#">9028450000</a>	Version	Assortment of inserts
GTIN (EAN)	4032248310012		
Qty.	1 ST		

## CRIMP-SET KONTAKTE

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany

www.weidmueller.com

## Accessories

## Pin cable lugs




Insulated pin-cable connector made from PVC or PC/PA

- Conventional designs
- Not soldered
- With conical entry funnel

## General ordering data

Type	LIP 6R14 V	Version	
Order No.	<a href="#">9200480000</a>		cable lug, terminal end, Insulated cable connector, 4 mm <sup>2</sup> - 6 mm <sup>2</sup> , yellow
GTIN (EAN)	4032248410323		
Qty.	100 ST		

## Ring cable lugs




Insulated ring-cable connector made from PVC

- Commercially available designs
- Not soldered
- With conical entry funnel

## General ordering data

Type	LIR 2,5M5 V	Version	
Order No.	<a href="#">9200180000</a>		cable lug, terminal end, Insulated cable connector, 2.5 mm <sup>2</sup> , 1.5 mm <sup>2</sup> - 2.5 mm <sup>2</sup>
GTIN (EAN)	4032248409808		
Qty.	100 ST		

## Cable-lug sleeves



Insulated tab-connector sleeves made from PVC with copper sleeve

- Commercially available designs
- Not soldered
- With conical entry funnel

## General ordering data

Type	LIF 2,5F638 R	Version	
Order No.	<a href="#">9200560000</a>		cable lug, terminal end, Insulated cable connector, 2.5 mm <sup>2</sup> , 1.5 mm <sup>2</sup> - 2.5 mm <sup>2</sup> , blue
GTIN (EAN)	4032248410408		
Qty.	100 ST		

## CRIMP-SET KONTAKTE

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany

www.weidmueller.com

## Accessories

### Pin cable lugs



Insulated pin-cable connector made from PVC or PC/PA

- Conventional designs
- Not soldered
- With conical entry funnel

### General ordering data

Type	LIP 1,5R12 V	Version
Order No.	<a href="#">9200460000</a>	cable lug, terminal end, Insulated cable connector, 0,5 mm <sup>2</sup> - 1,5 mm <sup>2</sup> , red
GTIN (EAN)	4032248410309	
Qty.	100 ST	
Type	LIP 2,5R12 V	Version
Order No.	<a href="#">9200470000</a>	cable lug, terminal end, Insulated cable connector, 1,5 mm <sup>2</sup> - 2,5 mm <sup>2</sup> , blue
GTIN (EAN)	4032248410316	
Qty.	100 ST	

### Joint connector




Fully-insulated joint connector made from PVC or PC/PA

- Conventional designs
- Not soldered

### General ordering data

Type	LIB 6B26 VF	Version
Order No.	<a href="#">9200510000</a>	cable lug, terminal end, Insulated cable connector, 4 mm <sup>2</sup> - 6 mm <sup>2</sup> , yellow
GTIN (EAN)	4032248410354	
Qty.	100 ST	

### Ring cable lugs



Insulated ring-cable connector made from PVC

- Commercially available designs
- Not soldered
- With conical entry funnel

## CRIMP-SET KONTAKTE

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany

www.weidmueller.com

## Accessories

### General ordering data

Type	LIR 1,5M4 V	Version	
Order No.	<a href="#">9200090000</a>		cable lug, terminal end, Insulated cable connector, 1.5 mm <sup>2</sup> , 0.5 mm <sup>2</sup> -
GTIN (EAN)	4032248409853		1.5 mm <sup>2</sup>
Qty.	100 ST		

### Case



- Body of case made from unbreakable polypropylene
- Portable and uncluttered storage in minimum space
- With two sturdy sliding catches
- Assortment cases and boxes can be placed upright and can be stacked safely without any sliding
- can be subdivided with inserts

### General ordering data

Type	KOFFER CARRY LITE 55	Version	
Order No.	<a href="#">9202000000</a>		Tools, Empty box / Case
GTIN (EAN)	4032248481231		
Qty.	1 ST		

### Cable-lug sleeves



Insulated tab-connector sleeves made from PVC with copper sleeve

- Commercially available designs
- Not soldered
- With conical entry funnel

### General ordering data

Type	LIF 1,5F638 R	Version	
Order No.	<a href="#">9200540000</a>		cable lug, terminal end, Insulated cable connector, 1.5 mm <sup>2</sup> , 0.5 mm <sup>2</sup> -
GTIN (EAN)	4032248410385		1.5 mm <sup>2</sup> , red
Qty.	100 ST		

## CRIMP-SET KONTAKTE

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany

www.weidmueller.com

## Accessories

## Joint connector




Fully-insulated joint connector made from PVC or PC/PA

- Conventional designs
- Not soldered

## General ordering data

Type	LIB 2,5B25 VF	Version	
Order No.	<a href="#">9200500000</a>		cable lug, terminal end, Insulated cable connector, 1.5 mm <sup>2</sup> - 2.5 mm <sup>2</sup> , blue
GTIN (EAN)	4032248410347		
Qty.	100 ST		

## Ring cable lugs




Insulated ring-cable connector made from PVC

- Commercially available designs
- Not soldered
- With conical entry funnel

## General ordering data

Type	LIR 1,5M5 V	Version	
Order No.	<a href="#">9200100000</a>		cable lug, terminal end, Insulated cable connector, 1.5 mm <sup>2</sup> , 0.5 mm <sup>2</sup> - 1.5 mm <sup>2</sup>
GTIN (EAN)	4032248409860		
Qty.	100 ST		

## Cable-lug sleeves



Insulated tab-connector sleeves made from PVC with copper sleeve

- Commercially available designs
- Not soldered
- With conical entry funnel

## General ordering data

Type	LIF 1,5F288 R	Version	
Order No.	<a href="#">9200520000</a>		cable lug, terminal end, Insulated cable connector, 1.5 mm <sup>2</sup> , 0.5 mm <sup>2</sup> - 1.5 mm <sup>2</sup> , red
GTIN (EAN)	4032248410361		
Qty.	100 ST		

**CRIMP-SET KONTAKTE**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

[www.weidmueller.com](http://www.weidmueller.com)

**Accessories**

Type	LIF 6F638 R	Version
Order No.	<a href="#">9200570000</a>	cable lug, terminal end,Insulated cable connector,6 mm <sup>2</sup> ,4 mm <sup>2</sup> - 6
GTIN (EAN)	4032248410415	mm <sup>2</sup> ,yellow
Qty.	100 ST	

**Joint connector**

Fully-insulated joint connector made from PVC or PC/PA

- Conventional designs
- Not soldered

**General ordering data**

Type	LIB 1,5B25 VF	Version
Order No.	<a href="#">9200490000</a>	cable lug, terminal end,Insulated cable connector,0,5 mm <sup>2</sup> - 1,5
GTIN (EAN)	4032248410330	mm <sup>2</sup> ,red
Qty.	100 ST	