




## SES-JOKARI


**Material handle:** PA  
**Material blade:** steel, titan-nitride coated  
**Stripping capacity:** Ø 4 to 70 mm (according to model)

**Applications:** for stripping all standard round cables. These tools are equipped with a red knurled nut for adjusting the cutting depth. The cutting blades are specially coated with Titanium Nitride (TiN) and offer a longer life, faster cutting and slower wear. The user benefits from a secure grip thanks to the non-slip handle. A spare blade is included in the handle.



Circular and longitudinal section



type	artide number	capacity Ø mm	length mm	weight g	 pcs
<b>Kit 7100 syst. 4-70</b> delivered in a case with 5 interchangeable brackets of capacities 4-16 / 8-28 / 27-35 / 35-50 and 50-70 mm.	0534 0051 000	4 → 70	190	129	1
<b>SES-JOKARI n°28H</b> with hook-blade to part flat cables	0534 0001 000	8 → 28	170	75	1
<b>SES-JOKARI n°28G</b> with straight blade	0534 0014 000	8 → 28	170	75	1
<b>SES-JOKARI n°27</b>	0534 0008 000	8 → 28	130	70	1
<b>SES-JOKARI n°16</b>	0534 0003 000	4 → 16	130	67	1
<b>SES-JOKARI-Lame</b>	0558 0002 000				1





## SES-JOKARI UNI-PLUS

**Material handle:** PA  
**Material blade:** steel, titan-nitride coated  
**Stripping capacity:** external Ø 8 to 15 mm  
**Weight:** 46 g  
**Length:** 130 mm  
**Applications :** pour le dénudage de câbles, SES-JOKARI UNI-PLUS est équipé de 2 lames supplémentaires pour câbles de 1,5 à 2,5 mm<sup>2</sup>. Il est muni d'une butée de longueur modifiable pour une utilisation ambidextre.



Circular section



type	artide number	stripping Ø mm	pcs
SES-JOKARI UNI-PLUS	0534 0031 000	8 → 15	1

## SES-JOKARI n°12

**Material handle:** PA  
**Material blade:** steel, titan-nitride coated  
**Stripping capacity:** external Ø 8 to 13 mm  
**Weight:** 50 g  
**Length:** 124 mm  
**Applications:** SES-JOKARI No. 12 is equipped with a durable and ergonomic pocket clip for stripping in junction boxes.




Circular section



type	artide number	stripping Ø mm	pcs
SES-JOKARI n°12	0534 0030 000	8 → 13	1

## SES-JOKARI SECURA 15

**Material handle:** PA  
**Material blade:** steel, titan-nitride coated  
**Stripping capacity:** external Ø 8 to 13 mm  
**0,2 - 0,3 - 0,8 - 1,5 - 2,5 and 4,0 mm<sup>2</sup>**  
**Weight:** 46,5 g  
**Length:** 124 mm  
**Applications:** SES-JOKARI SECURA 15 is equipped with a retractable knife for stripping cables.




Circular and longitudinal section



type	artide number	stripping Ø mm	pcs
SES-JOKARI SECURA 15	0534 0016 000	8 → 13	1

## SES-STAR-STRIPPER

**Material handle:** PA  
**Material blade:** steel, titan-nitride coated  
**Stripping capacity:** external Ø 4 to 13 mm  
**0,5 to 16 mm<sup>2</sup>**  
**Weight:** 75 g  
**Length:** 135mm  
**Applications:** Universal multi-purpose tool designed for circular and longitudinal cutting without adjustment of the cutting depth. It allows the stripping of coaxial cables in steps from 4 to 8 mm Ø.



Circular and longitudinal section



type	artide number	stripping Ø mm	pcs
SES-STAR-STRIPPER	0534 0050 000	4 → 13	1



## KABIFIX LK 25 for cables with reinforced insulation

**Material handle:** PA  
**Stripping capacity:** Ø 6 to 25 mm  
**Weight:** 100 g  
**Applications:** Stripping with transversal and longitudinal cut of optical fibre cables, coaxial and waterproof.  
 Robust tool with a rotating blade a swivel knife.




type	article number	stripping Ø mm	 pces
KABIFIX LK 25	0527 0010 000	6 → 25	1
Blade LK 25	0527 0015 000		1

## KABIFIX FK 28 for cables in copper

**Material handle:** PA  
**Stripping capacity:** Ø 4 to 28 mm  
**Weight:** 100 g  
**Applications:** Stripping with transversal and longitudinal cut of optical fibre cables, coaxial and waterproof.  
 Robust tool with a rotating blade a swivel knife.



type	article number	stripping Ø mm	 pces
KABIFIX FK 28	0527 0004 000	4 → 28	1
Blade FK 28	0527 0003 000		1